What is claimed is:

5

20

25 '

30

35

- 1. An antibody specifically recognizing phosphatidylinositol-3,4-biphosphate.
- 2. The antibody of claim 1, wherein the antibody is a monoclonal antibody.
 - 3. The antibody of claim 2, which recognizes an antigenic determinant comprising an inositol group and a glycerol backbone in phosphatidylinositol-3,4-biphosphate.
- 4. The antibody of claims 1, which is substantially non-cross-reactive with at least one compound selected from the group consisting of phosphatidylinositol-4,5-bisphospate, phosphatidylinositol-3,4,5-triphosphate, phosphatidylinositol-1,4,5-triphosphate, and phisphatidylinositol-1,3,4,5-tetraphosphate.
 - 5. A hybridoma producing the antibody of claim 2.
 - 6. The hybridoma of claim 5, which has the properties of the deposit identified by the accession No. FERM-BP-6849.
 - 7. A method of producing the antibody of claim 2, the method comprising culturing the hybridoma of claim 5.
 - 8. A variable region of immunoglobulin heavy chain specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 2 or an amino acid sequence of SEQ ID NO: 2 in which one or more amino acid residues are substituted, deleted or added.
 - 9. A variable region of immunoglobulin light chain specifically binding to phosphatidylinositol-3.4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 4 or an amino acid sequence of SEQ ID NO: 4 in which one or more amino acid residues are substituted, deleted or added.
 - 10. CDR1 in immunoglobulin heavy chains specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 5 or an amino acid sequence of SEQ ID NO: 5 in which one or more amino acid residues are substituted, deleted or added.
 - 11. CDR2 in immunoglobulin heavy chains specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 6 or an amino acid sequence of SEQ

ID NO: 6 in which one or more amino acid residues are substituted, deleted or added.

12. CDR3 in immunoglobulin heavy chains specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 7 or an amino acid sequence of SEQ ID NO: 7 in which one or more amino acid residues are substituted, deleted or added.

5

10

15

20

25

30

35

- 13. CDR1 in immunoglobulin light chains specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 8 or an amino acid sequence of SEQ ID NO: 8 in which one or more amino acid residues are substituted, deleted or added.
- 14. CDR2 in immunoglobulin light chains specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 9 or an amino acid sequence of SEQ ID NO: 9 in which one or more amino acid residues are substituted, deleted or added.
- 15. CDR3 in immunoglobulin light chains specifically binding to phosphatidylinositol-3,4-biphosphate, comprising an amino acid sequence set forth in SEQ ID NO: 10 or an amino acid sequence of SEQ ID NO: 10 in which one or more amino acid residues are substituted, deleted or added.
- 16. An immunogen composition for use in producing an antibody specifically recognizing phosphatidylinositol-3,4-biphosphate, comprising a mixture of a dead Salmonella cell as an adjuvant and phosphatidylinositol-3,4-biphosphate.
- 17. A method for producing an antibody specifically recognizing phosphatidylinositol-3,4-biphosphate, the method comprising using an immunogen composition of claim 16 for immunization.
- 18. An immunoassay method which comprises the steps of reacting the antibody specifically recognizing phosphatidylinositol-3,4-biphosphate or a variable region thereof with phosphatidylinositol-3,4-biphosphate present in a sample, and detecting the binding based on an immunological reaction between the antibody or a variable region thereof and the biphosphate.
- 19. An immunoassay method of claim 18, which comprises observing the degree to which the immunological reaction between the

antibody or a variable region thereof and an antigenic determinant recognized thereby is inhibited by phosphatidylinositol-3,4-biphosphate present in a sample.

20. A kit for immunoassay for phosphatidylinositol-3,4-5 biphosphate comprising the antibody of specifically recognizing phosphatidylinositol-3,4-biphosphate or a variable region thereof.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
·

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.